

# LEICA CV5030

GLASS COVERSGLIPPER FOR HISTOLOGY AND CYTOLOGY



Advancing Cancer Diagnostics  
Improving Lives

# LEICA CV5030

## A GLASS COVERSGLIPPER WITH THE ABILITY TO ADAPT




A GLASS COVERSGLIPPER FLEXIBLE ENOUGH  
TO MEET THE NEEDS OF YOUR LABORATORY



The Leica CV5030 Glass Coverslipper easily adapts to the specific requirements of varying samples such as histology sections, cytology smears, and monolayers. Accepting staining racks of virtually all routine slide stainers, the glass coverslipper easily adapts to your current and future laboratory requirements



Produce slides with superb optical quality which offer a reliable long-term storage option. The CV5030 Glass Coverslipper adapts to your laboratory needs, accepting common brands of mounting media and different coverglass sizes.



Eliminate the traditionally manual process of transferring stained slides from stainer to coverslipper and create a truly consolidated workstation by combining the Leica CV5030 Glass Coverslipper with the Leica ST5010 Autostainer XL or the Leica ST5020 Multistainer.

THE GLASS COVERSGLIPPER THAT ADAPTS TO THE NEEDS OF YOUR LABORATORY... FINALLY!




The easy-to-use control panel enables settings to be customized to meet your specific laboratory requirements – simply select the ideal set-up for different samples.



The coverslip station accepts different coverglass sizes, and automatically discarding broken ones.



The dispenser parking station stores the nozzle in reagent – maintaining mountant dispensing integrity.



The load vessel accepts up to 60 slides and can be filled with reagent.



Combined with the Leica ST5010 Autostainer XL or the Leica ST5020 Multistainer, the Leica CV5030 Glass Coverslipper was the first truly integrated staining and coverslipping workstation, featuring walkaway\* convenience.

\* within range of audibility





# LEICA CV5030

## TECHNICAL SPECIFICATIONS

<b>Instrument type</b> .....	Automated Glass Coverslipper	<b>Mounting media bottle volume</b> .....	250 mL
<b>Sample types</b> .....	Histology sections, Cytology smears, Monolayer preparations	<b>Input racks</b> .....	Most commercially available types accepted (up to 60 slides)
<b>Throughput</b> .....	approx. 300 slides/hour (approx. 9 sec./slide)	<b>Output racks</b> .....	20 or 30 slide capacity (up to 60 slides)
<b>Coverslip sizes</b> .....	22–24 x 40–60 mm	<b>Fume handling</b> .....	Activated carbon filter and fume extraction hose system
<b>Coverslip magazine capacity</b> .....	120–160 coverslips (depending on size)	<b>Supply voltage</b> .....	100–250 VAC / 50–60 Hz
<b>Mounting media</b> .....	Commercially available types accepted	<b>Dimensions (L x D x H)</b> .....	420 x 600 x 550 mm, 16,5 x 24 x 22 in
<b>Mounting media volume</b> .....	Setting based on volume, type and coverslip size	<b>Dry weight</b> .....	approx. 57 kg, approx. 125 lbs

Additional features include optional wet or dry coverslipping, dispenser nozzle protection through wet parking position, memory function for up to four custom settings, Multisize™ coverslip magazine, glass sensor for automated handling of broken coverslips, optional transfer module for integration with ST5020 Multistainer.

## FOR FURTHER INFORMATION, PLEASE CONTACT YOUR LOCAL LEICA SALES COMPANY

<b>Australia:</b>	North Ryde	T: +61 2 8870 3500	F: +61 2 9878 1055
<b>Austria:</b>	Vienna	T: +43 1 486 80 50 0	F: +43 1 486 80 50 30
<b>Belgium:</b>	Groot Bijgaarden	T: +32 2 790 98 50	F: +32 2 790 98 68
<b>Canada:</b>	Richmond Hill/Ontario	T: +1 905 762 2000	F: +1 905 762 8937
<b>Denmark:</b>	Herlev	T: +45 4454 0101	F: +45 4454 0111
<b>France:</b>	Nanterre Cedex	T: +33 811 000 664	F: +33 1 56 05 23 23
<b>Germany:</b>	Wetzlar	T: +49 64 41 29 40 00	F: +49 64 41 29 41 55
<b>Italy:</b>	Milan	T: +39 02 574 861	F: +39 02 574 03392
<b>Japan:</b>	Tokyo	T: +81 3 5421 2800	F: +81 3 5421 2896
<b>Korea:</b>	Seoul	T: +82 2 514 65 43	F: +82 2 514 65 48

<b>Netherlands:</b>	Rijswijk	T: +31 70 4132 100	F: +31 70 4132 109
<b>People's Rep. of China:</b>	Hong Kong	T: +852 2564 6699	F: +852 2564 4163
<b>Portugal:</b>	Lisbon	T: +351 21 388 9112	F: +351 21 385 4668
<b>Singapore</b>		T: +65 6779 7823	F: +65 6773 0628
<b>Spain:</b>	Barcelona	T: +34 93 494 95 30	F: +34 93 494 95 32
<b>Sweden:</b>	Kista	T: +46 8 625 45 45	F: +46 8 625 45 10
<b>Switzerland:</b>	Heerbrugg	T: +41 71 726 34 34	F: +41 71 726 34 44
<b>United Kingdom:</b>	Milton Keynes	T: +44 1908 246 246	F: +44 1908 609 992
<b>USA:</b>	Bannockburn/Illinois	T: +1 847 405 0123	F: +1 847 405 0164

## ...AND MORE THAN 100 NATIONAL DISTRIBUTORS

Leica Biosystems is an international company with a strong network of worldwide customer services. For detailed contact information on your nearest sales office or distributor please visit our website:

[LeicaBiosystems.com](http://LeicaBiosystems.com)

Leica Biosystems is a global leader in workflow solutions and automation. As the only company to own the workflow from biopsy to diagnosis, we are uniquely positioned to break down the barriers between each of these steps. Our mission of "Advancing Cancer Diagnostics, Improving Lives" is at the heart of our corporate culture. Our easy-to-use and consistently reliable offerings help improve workflow efficiency and diagnostic confidence. The company is represented in over 100 countries. It has manufacturing facilities in 9 countries, sales and service organizations in 19 countries, and an international network of dealers. The company is headquartered in Nussloch, Germany. Visit [LeicaBiosystems.com](http://LeicaBiosystems.com) for more information.

Designed and manufactured according to CE and CSA regulations.  
 Technical specifications are subject to change without notice.  
 Products included are intended for in vitro diagnostic use only.

Copyright © 2020 Leica Biosystems Nussloch, Germany Ltd. All rights reserved. LEICA and the Leica Logo are registered trademarks of Leica Microsystems IR GmbH. ST5020 and Multisize are trademarks of the Leica Biosystems group of companies in the USA and optionally in other countries. Other logos, product and/or company names might be trademarks of their respective owners.